

Class  $\Rightarrow$  B.Sc.(Hons.) Part - I

Subject  $\Rightarrow$  Chemistry

Chapter  $\Rightarrow$  Gaseous state (Group - A)

Topic  $\Rightarrow$  Maxwell distribution of velocities

Author  $\Rightarrow$  Shubham and energies.

Paper  $\Rightarrow$  IA (Physical chemistry)

Author Name  $\Rightarrow$  Dr. Amarendra Kumar

Dept. of Chemistry

Jain College, Agra

## Maxwell Distribution of Velocities

Molecules of a gas are moving continuously in different direction with different velocities. Hence they keep on colliding with one another. However, the collisions are supposed to be perfectly elastic and there is no net loss of kinetic energy.

In other words, whereas some molecules are speeded up, the others are slowed down after collision.

Maxwell suggested that at a particular temperature, the fraction of molecules possessing particular velocities remain almost constant. Such a state is called a steady state.

On the basis of the laws of probability, Maxwell calculated that the fraction of molecules having velocities between  $c$  and  $c+dc$  is given by

$$dn_e = 4\pi \left( \frac{M}{2\pi RT} \right)^{3/2} e^{-Mc^2/2RT} \frac{c^2}{c^2 + dc^2} dc \quad (1)$$

Where  $dn_e$  = No. of molecules having velocities between  $c$  and  $(c+dc)$ .

Total no. of molecules of the gas

$M$  = Molecular Mass of the gas.

This eq. is called Maxwell law of distribution of velocities.

(2)

ISLAM

1 - The above equation may be rewritten as

$$1 \cdot dnc = 4\pi \left( \frac{M}{2\pi RT} \right)^{3/2} \cdot \frac{Mc^2}{2RT} c^2 \quad (2)$$

The quantity  $1 \cdot dnc$  is called the probability ( $P$ ) of finding molecules with velocity  $c$ .

The significance of the Maxwell distribution of velocities equation may be seen by plotting the probability ( $P = 1 \cdot dnc$ ) versus the velocity  $c$ .

at a particular Temperature  $T$ , such Plot is called Maxwell's distribution of velocities.




Fig-12. Maxwell distribution of velocities.

from plot it will be noticed that

- (i) A very small fraction of molecules has either very low (close to zero) or very high velocities.
- (ii) Most intermediate fraction of molecules have velocities close to an average velocity represented by the peak of the curve. This velocity is called most probable velocity.
- (iii) At higher temp. more molecules have higher velocities and fewer molecules have lower velocities.

## Maxwell distribution of energies

The Maxwell distribution of velocities can be converted to represent the distribution of energies as follows.

$\frac{1}{2}mc^2$  is replaced by E, the kinetic energy of the gas per molecule.

$$\frac{1}{2}mc^2 = E \quad \text{--- (1)}$$

To change  $c^2dc$  into the energy terms. Eq. (1) is rewritten as

$$mc^2 = 2E \quad \text{--- (2)}$$

Differentiating both sides, we get

$$2mc\,dc = 2dE$$

$$\text{or, } mc\,dc = dE \quad \text{--- (3)}$$

Taking square root of both sides of eq. (2), we get

$$m^{1/2}c = (2E)^{1/2} \quad \text{--- (4)}$$

Multiplying eq. (3) and (4), we get

$$m^{3/2}c^2dc = (2E)^{1/2}dE$$

$$\text{or, } c^2dc = \frac{(2E)^{1/2}dE}{m^{3/2}} \quad \text{--- (5)}$$

Substituting the value of  $m^{3/2}c^2$  from eq. (1) and that of  $c^2dc$  from eq. (5) in Maxwell distribution of velocities eq. (1), we get

$$\frac{dn}{n} = 4\pi \left( \frac{M}{2\pi RT} \right)^{3/2} e^{-E/RT} \frac{(2E)^{1/2}dE}{m^{3/2}}$$

$$\text{or, } \frac{dn}{n} = \frac{2\pi}{(nRT)^{3/2}} e^{-E/RT} \frac{E^{1/2}dE}{m^{3/2}} \quad \text{--- (6)}$$

Where  $\frac{dn}{n}$  now represent the fraction of the total no. of molecules having kinetic energies between E and dE

(4)

Page No.:	Yousha
Date:	

Eqn. (6) can be rewritten as

$$P' = \frac{1}{N} dnc = \frac{2\pi}{(kT)^{3/2}} e^{-E/RT} E^{1/2} \quad (7)$$

Where  $P'$  represents the probability of molecules having energy  $E$ .

The plots of Probability ( $P'$ ) vs  $E$  obtained are similar to those for the distribution of velocities.

$$E = \frac{1}{2}mv^2$$

$$P' = \frac{1}{N} dnc = \frac{2\pi}{(kT)^{3/2}} e^{-E/RT} E^{1/2}$$

$$dnc = \frac{2\pi}{(kT)^{3/2}} e^{-E/RT} E^{1/2}$$